



**XAVIER**  
UNIVERSITY of LOUISIANA

Xavier University of Louisiana  
**XULA Digital Commons**

---

Course Modules

Department of Chemistry

---

5-2019

## Organic Chemistry I Drill (CHEM 2210D) - 1st Module - Bonding - Sample B- Answer Key

Candace M. Lawrence  
clawren2@xula.edu

Follow this and additional works at: [https://digitalcommons.xula.edu/doc\\_cm](https://digitalcommons.xula.edu/doc_cm)



Part of the [Curriculum and Instruction Commons](#), and the [Organic Chemistry Commons](#)

---

### Recommended Citation

Lawrence, Candace M., "Organic Chemistry I Drill (CHEM 2210D) - 1st Module - Bonding - Sample B- Answer Key" (2019). *Course Modules*. 2.  
[https://digitalcommons.xula.edu/doc\\_cm/2](https://digitalcommons.xula.edu/doc_cm/2)

This Organic Chemistry I is brought to you for free and open access by the Department of Chemistry at XULA Digital Commons. It has been accepted for inclusion in Course Modules by an authorized administrator of XULA Digital Commons. For more information, please contact [ksiddell@xula.edu](mailto:ksiddell@xula.edu).

Name KEY


Organic Chemistry 2210D

First Drill Test (Sample B)


Answer All Questions

MANY CORRECT ANSWERS!

1. Draw the Lewis structure of a molecule having the formula  $C_3H_4O$



2. Draw the bond dipoles for:



3. Consider the molecule shown. What is:

a) the hybridization of N5  $sp$


b) the hybridization of C2  $sp^2$

c) the C2-C3-C4 bond angle  $120^\circ$

d) the geometry of C4 TRIGONAL PLANAR

e) the formal charge on N +1

f) the formal charge on O 0



4. Give the information requested about the molecule  $CH_3-CH=CH_2$ .

a) Which carbon-carbon bond is the longest? 1 SINGLE > DOUBLE

b) Which carbon-carbon bond is the strongest? 2 DOUBLE > SINGLE

c) Bond 2 is composed of a  $\sigma$  bond made from head-to-head overlap of  $sp^2$  orbitals and a  $\pi$  bond made from side-to-side overlap of p orbitals.

5. Calculate the HDI for:

a)  $C_4H_9N$


b)  $C_6H_8Br_2$

$$\frac{2 \cdot 4 + 1 + 2 - 9}{2} = 1$$

$$\frac{2 \cdot 6 + 2 - 8 - 2}{2} = 2$$


$$\frac{2x + N + 2 - H - \text{HALOGEN}}{2}$$

6. What is the relationship between the structures shown below? (Possible answers: same compound, constitutional isomers, unrelated molecules) Calculate the HDI of each molecule.




Multiple Choice:


7. Which of these molecules is most soluble in water?



8. Which of these molecules has the lowest boiling point?



9. Which of these molecules is linear? (Hint: draw a Lewis structure before you decide).



10. How many 2p atomic orbitals from boron must be mixed with a 2s atomic orbital to yield the bonding hybrid atomic orbitals in  $\text{BF}_3$ ? (Hint: What is the hybridization of B?)

- a) 1 b) 2 c) 3 d) 4 e) 5

